Index

(R) indicates Book Review

Abdel-Rahman, A.-F. M. Mesozoic volcanism in the Middle East: geochemical, isotopic and petrogenetic evolution of extension-related alkali basalts from central Lebanon, 621
Absolute age, 453
Active tectonics, 331
Adana Turkey, 473
Aegean, 15
Africa (R), 367, 597
The Age of Dinosaurs in Russia and Mongolia (R), 103
Al-Riyami, K. & Robertson, A. Mesozoic sedimentary and magmatic evolution of the Arabian continental margin, northern Syria: evidence from the Baer–Bassit Melange, 395
Aldanmaz, E. & Gürer, Ö. F. Origin of the Upper Cretaceous–Tertiary sedimentary basins within the Tauride–Anatolide platform in Turkey, 191
Alexander Island, 313
Alfaro, P., Andreu, J. M., Delgado, J., Estévez, A., Soria, J. M. & Teixidó, T. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
Alkali basalts, 621
Alkaline Rocks and Carbonatites of the World. Part 3: Africa (R), 367
Almería (R), 595
Alpine Orogeny, 559
Altai Mountains, 1
Amber (R), 597
Anatolia, 559
Andreu, J. M., Delgado, J., Estévez, A., Soria, J. M., Teixidó, T. & Alfaro, P. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
Angiosperm Woods from British Lower Cretaceous and Palaeogene Deposits (R), 238
Antarctica, 209, 313, 465, 525, 577
Archaeopteryx (R), 720
Argentina, 641
Argon, 465, 525, 577
Arkose, 651
Armstrong, D. C. & Willan, R. C. R. Successive geothermal, volcanic-hydrothermal and contact-metasomatic events in Cenozoic volcanic-arc basalts, South Shetland Islands, Antarctica, 209
Artic region, 281
Asia (R), 371
Atlas of Plants and Animals in Baltic Amber (R), 597

Baer–Bassit Melange, 395
Bahamas Drilling Project (R), 99
Basement tectonics, 497
Basin, sedimentary, 473
Beneath Our Feet. The Rocks of Planet Earth (R), 238
Benxi Formation, 107
Berry, C. M., Morel, E., Tomezzoli, R. & Cingolani, C. A. Middle Devonian lycopsids from high southern palaeolatitudes of Gondwana (Argentina), 641
Betic Cordillera, 331
Bhattacharya, S. & Sen, S. K. Discussion of the origin of 'arrested' charnockitization in the Chilka Lake area, Eastern Ghats Belt, India: Comment, 361
Biogenic effects, 601
Biogeography, 107, 281
Biostratigraphy, 453
Blackstones Bank, 199
Blind faults, 331
Bones of Contention. The Archaeopteryx *Scandals* (R), 720
Bouchardon, J.-L., Capiez, P., Piboule, M. & Briand, B. Felsic (A-type)–basic (plume-induced) Early Palaeozoic bimodal magmatism in the Maures Massif (southeastern France), 291
Bozkurt, E., Hallot, E., Dirik, K. & Gautier, P. Dating the exhumation of a metamorphic dome: geological evidence for pre-Eocene unroofing of the Niğde Massif (Central Anatolia, Turkey), 559
Brachiopoda, 281
Brazil, 453
Briand, B., Bouchardon, J.-L., Capiez, P. & Piboule, M. Felsic (A-type)–basic (plume-induced) Early Palaeozoic bimodal magmatism in the Maures Massif (southeastern France), 291
Brøggerhalvøya, 47
Buffetaut, E., Suteethorn, V. & Tong, H. Middle Jurassic turtles from southern Thailand, 687
Butler, C. A., Imber, J., Strachan, R. A. & Holdsworth, R. E. The initiation and early tectonic significance of the Outer Hebrides Fault Zone, Scotland, 609
Buttington Brick Pit, 89

Caggianelli, A. & Prosser, G. Modelling the thermal perturbation of the continental crust after intra-plating of thick granitoid sheets: a comparison with the crustal sections in Calabria (Italy), 699
Calabria Italy, 699
Caledonides, 375, 601, 707
Cambrian, 159, 281
Campbell, J. D., Roser, B. P., Coombs, D. S. & Korsch, R. J. Whole-rock geochemical variations and evolution of the arc-derived Murihiku Terrane, New Zealand, 665
Cantrill, D. J. & Nichols, G. J. Tectonic and climatic controls on a Mesozoic forearc basin succession, Alexander Island, Antarctica, 313
Capiez, P., Piboule, M., Briand, B. & Bouchardon, J.-L. Felsic (A-type)–basic (plume-induced) Early Palaeozoic bimodal magmatism in the Maures Massif (southeastern France), 291
Carbon, 375
Carbonate (R), 99, 100, 369
Carbonate Platform Systems: Components and Interactions (R), 100
Carbonatite (R), 367
Carboniferous, 107, 541
Carosi, R. & Palmeri, R. Orogen-parallel tectonic transport in the Variscan belt of northeastern Sardinia (Italy): implications for the exhumation of medium-pressure metamorphic rocks, 497
Cawood, P. A., Landis, C. A., Nemchin, A. A. & Hada, S. Permian fragmentation, accretion and subsequent translation of a low-latitude Tethyan seamount to the

high-latitude east Gondwana margin: evidence from detrital zircon age data, 131
Çemen, İ., Şen, Ş., Işik, V., Seyitoğlu, G. & Tekeli, O. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, 15
Çemen, İ., Şen, Ş., Işik, V., Seyitoğlu, G. & Tekeli, O. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, Erratum, 495
Cenozoic, 209
Charnockite, 361
Cheadle, M., Emeleus, C. H., Wadsworth, W. J., Fallick, A. E., Upton, B. G. J., Skovgaard, A. C., McClurg, J. & Kirstein, L. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Chelonia, 687
Chen, B. & Jahn, B.-M. Geochemical and isotopic studies of the sedimentary and granitic rocks of the Altai orogen of northwest China and their tectonic implications, 1
China, 1, 107; (R) 722
Chitinozoa, 89
Cingolani, C. A., Berry, C. M., Morel, E. & Tomezzoli, R. Middle Devonian lycopsids from high southern palaeolatitudes of Gondwana (Argentina), 641
Cleal, C. J. & Wang Ziqiang. A new and diverse plant fossil assemblage from the upper Westphalian Benxi Formation, Shanxi, China, and its palaeofloristic significance, 107
Clegg, P., Holdsworth, R. E. & Tavarnelli, E. The nature and regional significance of structures in the Gala Group of the Southern Uplands terrane, Berwickshire coast, southeastern Scotland, 707
Climage Change 2001: The Scientific Basis (R), 490
Climate Change 2001: Synthesis Report (R), 490
Climate change (R), 371, 490
Cocks, L. R. M., Fortey, R. A. & Rushton, A. W. A. Upper Cambrian trilobites and brachiopods from Severnaya Zemlya, Arctic Russia, and their implications for correlation and biogeography, 281
Contamination, 199
Continental crust, 699
Convection (R), 234
Cook, C. A., Holdsworth, R. E. & Styles, M. T. The emplacement of peridotites and associated oceanic rocks from the Lizard Complex, southwest England, 27
Coombs, D. S., Korsch, R. J., Campbell, J. D. & Roser, B. P. Whole-rock geochemical variations and evolution of the arc-derived Murihiku Terrane, New Zealand, 665
Cornwall England, 27
Correlation, 89, 281
Cox, J. & Searle, M. P. Subduction zone metamorphism during formation and emplacement of the Semail ophiolite in the Oman Mountains, 241
Cretaceous, 313, 421, 621; (R) 369
The Culture of English Geology 1815–1851. A Science Revealed Through its Collecting (R), 721

Deep Time: Paleobiology's Perspective (R), 369
Del Valle, R. A., Kelley, S. P., Jonkers, H. A. & Lirio, J. M. Age and environment of Miocene–Pliocene glaciomarine deposits, James Ross Island, Antarctica, 577
Delgado, J., Estévez, A., Soria, J. M., Teixidó, T., Alfaro, P. & Andreu, J. M. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
Depositional fault, 473
Devonian, 641
Dickin, A. P. & Durant, G. P. The Blackstones Bank igneous complex: geochemistry and crustal context of a submerged Tertiary igneous centre in the Scottish Hebrides, 199
Dictionary of Gems and Gemology (R), 491
Dini, A., Innocenti, F., Rocchi, S., Tonarini, S. & Westerman, D. S. The magmatic evolution of the late Miocene laccolith–pluton–dyke granitic complex of Elba Island, Italy, 257
Dinosaur (R), 103
Dirik, K., Gautier, P., Bozkurt, E. & Hallot, E. Dating the exhumation of a metamorphic dome: geological evidence for pre-Eocene unroofing of the Niğde Massif (Central Anatolia, Turkey), 559
Disequilibrium, 651
Dobmeier, C. & Raith, M. M. Discussion of the origin of 'arrested' charnockitization in the Chilka Lake area, Eastern Ghats Belt, India: Reply, 362
Durant, G. P. & Dickin, A. P. The Blackstones Bank igneous complex: geochemistry and crustal context of a submerged Tertiary igneous centre in the Scottish Hebrides, 199
Dykes, 171

Earth Systems. Processes and Issues (R), 102
Earthquakes (R), 720
Earthshaking Science. What We Know (and Don't Know) about Earthquakes (R), 720
East Greenland, 171
Eastern Ghats, 361
Elba, 257
Emeleus, C. H., Wadsworth, W. J., Fallick, A. E., Upton, B. G. J., Skovgaard, A. C., McClurg, J., Kirstein, L. & Cheadle, M. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Emplacement, 27
Enderbite, 361
England, 27
Environmental Applications of Geochemical Modelling (R), 596
Environmental monitoring (R), 367
Estévez, A., Soria, J. M., Teixidó, T., Alfaro, P., Andreu, J. M. & Delgado, J. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
Evins, P. M. & Laajoki, K. Early Proterozoic nappe formation: an example from Sodankylä, Finland, Northern Baltic Shield, 73
Evolution (R), 365; magmatic, 257; vertebrate (R), 233
Evolutionary Paleoecology. The Ecological Context of Macro-evolutionary Change (R), 365
Exhumation, 559
Extension tectonics, 15, 473, 559

Fallick, A. E., Roberts, D., Kuznetsov, A. B., Zwaan, K. B., Pokrovsky, B. G., Melezhik, V. A. & Gorokhov, I. M. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375

Fallick, A. E., Upton, B. G. J., Skovgaard, A. C., McClurg, J., Kirstein, L., Cheadle, M., Emeleus, C. H. & Wadsworth, W. J. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Fault zones, 609
Faupl, P., Pavlopoulos, A. & Migiros, G. Provenance of the Peloponnese (Greece) flysch based on heavy minerals, 513
Feldspars (R), 489
Felitsyn, S. B. & Gubanov, A. P. Nd isotope composition of early Cambrian discrete basins, 159
A Field Guide to the Neogene Sedimentary Basins of the Almería Province, South-East Spain (R), 595
Finland, 73
Fish, fossil (R), 99
Flood basalts, 171
Fluvial sedimentology, 313; (R) 368
Flysch, 513
Foland, K. A., Luttinen, A. V. & Zhang, X. 159 Ma Kjakebeinet lamproites (Dronning Maud Land, Antarctica) and their implications for Gondwana breakup processes, 525
Fold and thrust belts, 47, 73, 343
Folding, 707
Foraminifera (R), 367
Fore-arc basins, 313
Fortey, R. A., Rushton, A. W. A. & Cocks, L. R. M. Upper Cambrian trilobites and brachiopods from Severnaya Zemlya, Arctic Russia, and their implications for correlation and biogeography, 281
Fossil Fishes of Great Britain (R), 99
Fossils, small shelly, 159
France, 291
Furnes, H., Muehlenbacks, K., Torsvik, T., Tumyr, O. & Shi, L. Bio-signatures in metabasaltic glass of a Caledonian ophiolite, West Norway, 601
Fusilinid limestone, 131

Gautier, P., Bozkurt, E., Hallot, E. & Dirik, K. Dating the exhumation of a metamorphic dome: geological evidence for pre-Eocene unroofing of the Niğde Massif (Central Anatolia, Turkey), 559
Genetics (R), 233
Geochemistry, 1, 171, 199, 291, 541, 621, 665; (R) 596, 598; marine (R), 104, 368; organic (R), 234
Geochronology, 525
Geodynamics, 2nd ed. (R), 719
Geology, general (R), 101, 102, 238; regional (R), 490, 595, 597
The Geology of Ireland (R), 490
Geology of Northwest Africa (R), 597
Geomorphology (R), 366
Geophysics (R), 98, 365, 720
Geothermal systems, 209; (R) 598
Germany, 541
Glaciology (R), 371
Gondwana, 131, 145, 465, 525, 641
Gorokhov, I. M., Fallick, A. E., Roberts, D., Kuznetsov, A. B., Zwaan, K. B., Pokrovsky, B. G. & Melezhik, V. A. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375
Grabens, 15
Granites, 1
Granulites, 361
Graptolithina, 89
Greece, 513
Greenland, 171
Greenstone belts, 73
Grenville, 609
Gubanov, A. P. & Felitsyn, S. B. Nd isotope composition of early Cambrian discrete basins, 159
Gürer, Ö. F. & Aldanmaz, E. Origin of the Upper Cretaceous–Tertiary sedimentary basins within the Tauride–Anatolide platform in Turkey, 191

Hada, S., Cawood, P. A., Landis, C. A. & Nemchin, A. A. Permian fragmentation, accretion and subsequent translation of a low-latitude Tethyan seamount to the high-latitude east Gondwana margin: evidence from detrital zircon age data, 131
Hallot, E., Dirik, K., Gautier, P. & Bozkurt, E. Dating the exhumation of a metamorphic dome: geological evidence for pre-Eocene unroofing of the Niğde Massif (Central Anatolia, Turkey), 559
Haskinsia, 641
Hauser, M., Martini, R., Matter, A., Krystyn, L., Peters, T., Stampfli, G. & Zaninetti, L. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Heavy minerals, 513
Hebrides, 199, 437, 609
Hellenides, 513
Hercynian Orogeny, 497, 699
Himalaya (R), 235
History of geology (R), 721
Holdsworth, R. E., Butler, C. A., Imber, J. & Strachan, R. A. The initiation and early tectonic significance of the Outer Hebrides Fault Zone, Scotland, 609
Holdsworth, R. E., Styles, M. T. & Cook, C. A. The emplacement of peridotites and associated oceanic rocks from the Lizard Complex, southwest England, 27
Holdsworth, R. E., Tavarnelli, E. & Clegg, P. The nature and regional significance of structures in the Gala Group of the Southern Uplands terrane, Berwickshire coast, southeastern Scotland, 707
Holness, M. B. Spherulitic textures formed during crystallization of partially melted arkose, Rum, Scotland, 651
Huh, M., Lockley, M. G., Unwin, D. M., Wright, J. L. & Hwang, K.-G. New pterosaur tracks (Pteraichnidae) from the Late Cretaceous Uhangri Formation, southwestern Korea, 421
Hwang, K.-G., Huh, M., Lockley, M. G., Unwin, D. M. & Wright, J. L. New pterosaur tracks (Pteraichnidae) from the Late Cretaceous Uhangri Formation, southwestern Korea, 421
Hybridization, 257
Hydrothermal alteration, 209

Ice Sheets and Late Quaternary Environmental Change (R), 371
Iceland, 437
Igneous Petrology (R), 233
Igneous rocks (R), 233, 237, 367
Imber, J., Strachan, R. A., Holdsworth, R. E. & Butler, C. A. The initiation and early tectonic significance of the Outer Hebrides Fault Zone, Scotland, 609
Impact structures (R), 236
India, 361
Innocenti, F., Rocchi, S., Tonarini, S., Westerman, D. S. & Dini, A. The magmatic evolution of the late

Miocene laccolith–pluton–dyke granitic complex of Elba Island, Italy, 257
Introduction to Mineralogy (R), 491
Ireland (R), 490
Işik, V., Seyitoğlu, G., Tekeli, O., Çemen, İ. & Şen, Ş. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, 15
Işik, V., Seyitoğlu, G., Tekeli, O., Çemen, İ. & Şen, Ş. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, Erratum, 495
Island arcs, 209, 665
Isostasy and Flexure of the Lithosphere (R), 365
Isotopes, 131, 159, 199, 375, 453, 465, 525, 577, 621; (R) 598
Isotopic and Chemical Techniques in Geothermal Exploration, Development and Use (R), 598
Italy, 257, 497, 699

Jahn, B.-M. & Chen, B. Geochemical and isotopic studies of the sedimentary and granitic rocks of the Altai orogen of northwest China and their tectonic implications, 1
Jonkers, H. A., Lirio, J. M., Del Valle, R. A. & Kelley, S. P. Age and environment of Miocene–Pliocene glaciomarine deposits, James Ross Island, Antarctica, 577
Jurassic, 621, 687; (R) 369

Kelley, S. P., Jonkers, H. A., Lirio, J. M. & Del Valle, R. A. Age and environment of Miocene–Pliocene glaciomarine deposits, James Ross Island, Antarctica, 577
Kelley, S. P., Storey, B. C. & Vaughan, A. P. M. Mid-Cretaceous ductile deformation on the Eastern Palmer Land Shear Zone, Antarctica, and implications for timing of Mesozoic terrane collision, 465
Kinematics, 47
Kirstein, L., Cheadle, M., Emeleus, C. H., Wadsworth, W. J., Fallick, A. E., Upton, B. G. J., Skovgaard, A. C. & McClurg, J. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Königer, S. & Lorenz, V. Geochemistry, tectono-magmatic origin and chemical correlation of altered Carboniferous–Permian fallout ash tuffs in southwestern Germany, 541
Korsch, R. J., Campbell, J. D., Roser, B. P. & Coombs, D. S. Whole-rock geochemical variations and evolution of the arc-derived Murihiku Terrane, New Zealand, 665
Krystyn, L., Peters, T., Stampfli, G., Zaninetti, L., Hauser, M., Martini, R. & Matter, A. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Kuznetsov, A. B., Zwaan, K. B., Pokrovsky, B. G., Melezhik, V. A., Gorokhov, I. M., Fallick, A. E. & Roberts, D. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375

Laajoki, K. & Evins, P. M. Early Proterozoic nappe formation: an example from Sodankylä, Finland, Northern Baltic Shield, 73
Laboratory techniques (R), 491
Laccoliths, 257
Lamproite, 525
Landis, C. A., Nemchin, A. A., Hada, S. & Cawood, P. A. Permian fragmentation, accretion and subsequent translation of a low-latitude Tethyan seamount to the high-latitude east Gondwana margin: evidence from detrital zircon age data, 131
Lapland Finland, 73
Laxfordian, 609
Layered intrusions, 171
Lead, 131, 199
Lebanon, 621
Lirio, J. M., Del Valle, R. A., Kelley, S. P. & Jonkers, H. A. Age and environment of Miocene–Pliocene glaciomarine deposits, James Ross Island, Antarctica, 577
Lithosphere (R), 365
Lizard Complex, 27
Lockley, M. G., Unwin, D. M., Wright, J. L., Hwang, K.-G. & Huh, M. New pterosaur tracks (Pteraichnidae) from the Late Cretaceous Uhangri Formation, southwestern Korea, 421
Looking into the Earth. An Introduction to Geological Geophysics (R), 98
Lorenz, V. & Königer, S. Geochemistry, tectono-magmatic origin and chemical correlation of altered Carboniferous–Permian fallout ash tuffs in south-western Germany, 541
Loydell, D. K. & Mullins, G. L. Integrated lower Silurian chitinozoan and graptolite biostratigraphy of Buttington Brick Pit, Wales, 89
Luttinen, A. V., Zhang, X. & Foland, K. A. 159 Ma Kjakebeinet lamproites (Dronning Maud Land, Antarctica) and their implications for Gondwana breakup processes, 525
Lycopsida, 641

Magmas, 437
Major Events in Early Vertebrate Evolution. Palaeontology, Phylogeny, Genetics and Development (R), 233
Mantle Convection in the Earth and Planets (R), 234
Mantle, 437, 621; (R) 234
A Manual of Practical Laboratory and Field Techniques in Palaeobiology (R), 491
Marble, 375
Marine Chemistry: Pollution. The Handbook of Environmental Chemistry, Volume 5D (R), 368
Marine Geochemistry (R), 104
Martini, R., Matter, A., Krystyn, L., Peters, T., Stampfli, G., Zaninetti, L. & Hauser, M. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Matter, A., Krystyn, L., Peters, T., Stampfli, G., Zaninetti, L., Hauser, M. & Martini, R. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
McClurg, J., Kirstein, L., Cheadle, M., Emeleus, C. H., Wadsworth, W. J., Fallick, A. E., Upton, B. G. J. & Skovgaard, A. C. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Megabreccia, 145
Melezhik, V. A., Gorokhov, I. M., Fallick, A. E., Roberts, D., Kuznetsov, A. B., Zwaan, K. B. & Pokrovsky, B. G. Isotopic stratigraphy suggests

Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375
Melo, J. H. G., Vignol-Lelarge, M. L., Steemans, P. & Mizusaki, A. M. P. Vila Maria Formation (Silurian, Paraná Basin, Brazil): integrated radiometric and palynological age determinations, 453
Mesogaea, 395
Metabasalt, 291
Metamorphic rocks, 27, 497, 559; (R) 237
Metamorphism, 241, 699
Metarhyolite, 291
Metasomatism, 209
Meteorite (R), 236
Micropalaeontology, 577
Microtectonics (CD-ROM) (R), 236
Mid-ocean ridges, 241
Middle East Models of Jurassic/Cretaceous Carbonate Systems (R), 369
Middle East, 395, 621; (R) 369
Migiros, G., Faupl, P. & Pavlopoulos, A. Provenance of the Peloponnese (Greece) flysch based on heavy minerals, 513
Migmatization, 361
Mineralogy (R), 489, 491, 723
Miocene, 473, 577
Mizusaki, A. M. P., Melo, J. H. G., Vignol-Lelarge, M. L. & Steemans, P. Vila Maria Formation (Silurian, Paraná Basin, Brazil): integrated radiometric and palynological age determinations, 453
Modelling, geochemical (R), 596
Momme, P. & Wilson, J. R. The Kraemer Island macrodyke, East Greenland: solidification of a flood basalt conduit, 171
Mongolia (R), 103
Monitoring in Coastal Environments Using Foraminifera and Thecamoebian Indicators (R), 367
The Monterey Formation. From Rocks to Molecules (R), 234
Morel, E., Tomezzoli, R., Cingolani, C. A. & Berry, C. M. Middle Devonian lycopsids from high southern palaeolatitudes of Gondwana (Argentina), 641
Mountain belts (R), 366
Muehlenbacks, K., Torsvik, T., Tumyr, O., Shi, L. & Furnes, H. Bio-signatures in metabasaltic glass of a Caledonian ophiolite, West Norway, 601
Mullins, G. L. & Loydell, D. K. Integrated lower Silurian chitinozoan and graptolite biostratigraphy of Buttington Brick Pit, Wales, 89
Murihiku Terrane, 665

Nanga Parbat Syntaxis (R), 235
Nemchin, A. A., Hada, S., Cawood, P. A. & Landis, C. A. Permian fragmentation, accretion and subsequent translation of a low-latitude Tethyan seamount to the high-latitude east Gondwana margin: evidence from detrital zircon age data, 131
Neodymium, 159, 199, 621
Neogene, 15, 257; (R) 595
Neoproterozoic, 375
New Zealand, 131, 665
Nichols, G. J. & Cantrill, D. J. Tectonic and climatic controls on a Mesozoic forearc basin succession, Alexander Island, Antarctica, 313
Niğde Massif, 559
Norway, 375, 601
Nucleation, 651
Numerical models, 699

Ocakoğlu, F. Palaeoenvironmental analysis of a Miocene basin in the high Taurus Mountains (southern Turkey) and its palaeogeographical and structural significance, 473
Oman, 145, 241
Ophiolite, 27, 241, 395, 601; (R) 237
Ophiolites and Oceanic Crust: New Insights from Field Studies and the Ocean Drilling Program (R), 237
The Origin of Mountains (R), 366
Orogeny, 465
Outer Hebrides, 609

Pacific region (R), 371
Palaeobiology (R), 97, 369, 491
Palaeobiology II (R), 97
Palaeobotany, 107, 641; (R) 238
Palaeoclimatology, 577
Palaeoecology (R), 365
Palaeogeography, 473, 687
Palaeontology (R), 597, 720, 722
Palaeopedology (R), 97
Palaeozoic, 291
Palmeri, R. & Carosi, R. Orogen-parallel tectonic transport in the Variscan belt of northeastern Sardinia (Italy): implications for the exhumation of medium-pressure metamorphic rocks, 497
Palynology, 453
Paraná Basin, 453
Partial melting, 651
Pavlopoulos, A., Migiros, G. & Faupl, P. Provenance of the Peloponnese (Greece) flysch based on heavy minerals, 513
Peloponnese, 513
Penarth Group (R), 595
Pennsylvanian, 107
Peridotite, 27
Permian and Triassic Red Beds and the Penarth Group of Great Britain (R), 595
Permian, 131, 541; (R) 595
Peters, T., Stampfli, G., Zaninetti, L., Hauser, M., Martini, R., Matter, A. & Krystyn, L. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Petrogenesis, 621
Petroleum geology (R), 234
Petrology, 257; igneous (R), 233; sedimentary (R), 100
Phylogeny (R), 233
Physics Meets Mineralogy. Condensed-Matter Physics in Geosciences (R), 723
Piboule, M., Briand, B., Bouchardon, J.-L. & Capiez, P. Felsic (A-type)–basic (plume-induced) Early Palaeozoic bimodal magmatism in the Maures Massif (southeastern France), 291
Picrite, 437
Piggy-back basins, 191
Pillow lava, 601
Planetary geology (R), 234, 370
Pliocene, 577
Plume, 291, 437, 465
Pokrovsky, B. G., Melezhik, V. A., Gorokhov, I. M., Fallick, A. E., Roberts, D., Kuznetsov, A. B. &

Zwaan, K. B. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375
Pontic Mountains, 343
The Practice of British Geology 1750–1850 (R), 721
Precambrian–Cambrian boundary, 159
Prosser, G. & Caggianelli, A. Modelling the thermal perturbation of the continental crust after intra-plating of thick granitoid sheets: a comparison with the crustal sections in Calabria (Italy), 699
Proterozoic, 73, 199
Provenance studies, 131, 513, 665
Pterosauria, 421
Pyroclastics, 541

Quaternary (R), 371

Raith, M. M. & Dobmeier, C. Discussion of the origin of 'arrested' charnockitization in the Chilka Lake area, Eastern Ghats Belt, India: Reply, 362
Rare earths, 159
Reactivation, 609
Red Beds (R), 595
Rifting, 145, 291
Rise of the Dragon: Readings from Nature *on the Chinese Fossil Record* (R), 722
River Basin Sediment Systems: Archives of Environmental Change (R), 368
Roberts, D., Kuznetsov, A. B., Zwaan, K. B., Pokrovsky, B. G., Melezhik, V. A., Gorokhov, I. M. & Fallick, A. E. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375
Robertson, A. & Al-Riyami, K. Mesozoic sedimentary and magmatic evolution of the Arabian continental margin, northern Syria: evidence from the Baer–Bassit Melange, 395
Rocchi, S., Tonarini, S., Westerman, D. S., Dini, A. & Innocenti, F. The magmatic evolution of the late Miocene laccolith–pluton–dyke granitic complex of Elba Island, Italy, 257
Rock Forming Minerals. Volume 4A. Framework Silicates: Feldspars, 2nd ed. (R), 489
Rock of Ages. Sands of Time (R), 102
Roser, B. P., Coombs, D. S., Korsch, R. J. & Campbell, J. D. Whole-rock geochemical variations and evolution of the arc-derived Murihiku Terrane, New Zealand, 665
Rotation, 15
Rubidium, 453
Rum, 437, 651
Rushton, A. W. A., Cocks, L. R. M. & Fortey, R. A. Upper Cambrian trilobites and brachiopods from Severnaya Zemlya, Arctic Russia, and their implications for correlation and biogeography, 281
Russia (R), 103

Şen, Ş., Işik, V., Seyitoğlu, G., Tekeli, O. & Çemen, İ. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, 15
Şen, Ş., Işik, V., Seyitoğlu, G., Tekeli, O. & Çemen, İ. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, Erratum, 495
Saalmann, K. & Thiedig, F. Thrust tectonics on Brøggerhalvøya and their relationship to the Tertiary West Spitsbergen Fold-and-Thrust Belt, 47
Saar–Nahe Basin, 541
Sardinia, 497
Scotland, 199, 437, 609, 651, 707
Searle, M. P. & Cox, J. Subduction zone metamorphism during formation and emplacement of the Semail ophiolite in the Oman Mountains, 241
Sedimentary basins, 191
Sedimentary Petrology, 3rd ed. (R), 100
Sedimentary rocks, 665
Sedimentology, 313; (R) 100, 368, 369, 595
Sediments, 1
Seismic profiles, 331
Seismology (R), 720
Sen, S. K. & Bhattacharya, S. Discussion of the origin of 'arrested' charnockitization in the Chilka Lake area, Eastern Ghats Belt, India: Comment, 361
Sequence stratigraphy, 191
Severnaya Zemlya, 281
Seyitoğlu, G., Tekeli, O., Çemen, İ., Şen, Ş. & Işik, V. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, 15
Seyitoğlu, G., Tekeli, O., Çemen, İ., Şen, Ş. & Işik, V. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, Erratum, 495
Shear zones, 497
Shi, L., Furnes, H., Muehlenbacks, K., Torsvik, T. & Tumyr, O. Bio-signatures in metabasaltic glass of a Caledonian ophiolite, West Norway, 601
Siberia, 159
Sierra de la Ventana, 641
Silurian, 89, 453
Skovgaard, A. C., McClurg, J., Kirstein, L., Cheadle, M., Emeleus, C. H., Wadsworth, W. J., Fallick, A. E. & Upton, B. G. J. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Soils of the Past. An Introduction to Paleopedology, 2nd ed. (R), 97
Solar System Evolution. A New Perspective (R), 370
Soria, J. M., Teixidó, T., Alfaro, P., Andreu, J. M., Delgado, J. & Estévez, A. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
South Korea, 421
South Shetland Islands, 209
Southern Uplands, 707
Spain, 331; (R) 595
Spherulites, 651
Spitsbergen, 47
Stable isotopes, 601
Stampfli, G., Zaninetti, L., Hauser, M., Martini, R., Matter, A., Krystyn, L. & Peters, T. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Steemans, P., Mizusaki, A. M. P., Melo, J. H. G. & Vignol-Lelarge, M. L. Vila Maria Formation (Silurian, Paraná Basin, Brazil): integrated radiometric and palynological age determinations, 453
Storey, B. C., Vaughan, A. P. M. & Kelley, S. P. Mid-

Cretaceous ductile deformation on the Eastern Palmer Land Shear Zone, Antarctica, and implications for timing of Mesozoic terrane collision, 465
Strachan, R. A., Holdsworth, R. E., Butler, C. A. & Imber, J. The initiation and early tectonic significance of the Outer Hebrides Fault Zone, Scotland, 609
Stratigraphy, 577
Strontium, 199, 375, 453, 621
Structural geology, 47, 465, 497; (R) 236
Styles, M. T., Cook, C. A. & Holdsworth, R. E. The emplacement of peridotites and associated oceanic rocks from the Lizard Complex, southwest England, 27
Subduction, 241
Subsurface Geology of a Prograding Carbonate Platform Margin, Great Bahama Bank: Results of the Bahamas Drilling Project (R), 99
Sunal, G. & Tüysüz, O. Palaeostress analysis of Tertiary post-collisional structures in the Western Pontides, northern Turkey, 343
Superplumes, 465
Suteethorn, V., Tong, H. & Buffetaut, E. Middle Jurassic turtles from southern Thailand, 687
Suture zones, 199
Svalbard, 47
Syria, 395

Tavarnelli, E., Clegg, P. & Holdsworth, R. E. The nature and regional significance of structures in the Gala Group of the Southern Uplands terrane, Berwickshire coast, southeastern Scotland, 707
Tectonic Studies of Asia and the Pacific Rim. A Tribute to Benjamin M. Page (1911–1997) (R), 371
Tectonic wedges, 707
Tectonics of the Nanga Parbat Syntaxis and the Western Himalaya (R), 235
Tectonics, 73; active, 331; extension, 15; (R) 235, 236, 365, 366, 371
Teixidó, T., Alfaro, P., Andreu, J. M., Delgado, J., Estévez, A. & Soria, J. M. Quaternary deformation of the Bajo Segura blind fault (eastern Betic Cordillera, Spain) revealed by high-resolution reflection profiling, 331
Tekeli, O., Çemen, İ., Şen, Ş., Işik, V. & Seyitoğlu, G. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, 15
Tekeli, O., Çemen, İ., Şen, Ş., Işik, V. & Seyitoğlu, G. The role of the flexural rotation/rolling hinge model in the tectonic evolution of the Alaşehir graben, western Turkey, Erratum, 495
Tektites in the Geological Record: Showers of Glass from the Sky (R), 236
Tertiary, 47, 437
Tethys, 131, 145, 395
Thailand, 687
Thecamoebia (R), 367
Thermal metamorphism, 699
Thiedig, F. & Saalmann, K. Thrust tectonics on Brøggerhalvøya and their relationship to the Tertiary West Spitsbergen Fold-and-Thrust Belt, 47
Thrust faults, 609
Thrust sheets, 191
Tomezzoli, R., Cingolani, C. A., Berry, C. M. & Morel, E. Middle Devonian lycopsids from high southern palaeolatitudes of Gondwana (Argentina), 641
Tonarini, S., Westerman, D. S., Dini, A., Innocenti, F. & Rocchi, S. The magmatic evolution of the late Miocene laccolith–pluton–dyke granitic complex of Elba Island, Italy, 257
Tong, H., Buffetaut, E. & Suteethorn, V. Middle Jurassic turtles from southern Thailand, 687
Torlesse terrane, 131
Torsvik, T., Tumyr, O., Shi, L., Furnes, H. & Muehlenbacks, K. Bio-signatures in metabasaltic glass of a Caledonian ophiolite, West Norway, 601
Tracks, 421
Transpression, 497, 707
Triassic (R), 595
Trilobita, 281
Tuff, 541
Tumyr, O., Shi, L., Furnes, H., Muehlenbacks, K. & Torsvik, T. Bio-signatures in metabasaltic glass of a Caledonian ophiolite, West Norway, 601
Turkey, 15, 191, 343, 473, 559
Turtles, 687
Tüysüz, O. & Sunal, G. Palaeostress analysis of Tertiary post-collisional structures in the Western Pontides, northern Turkey, 343

UK, 27, 89, 199, 437, 609, 651, 707; (R) 595
Unconformities, 559
Understanding Earth, 3rd ed. (R), 101
Unwin, D. M., Wright, J. L., Hwang, K.-G., Huh, M. & Lockley, M. G. New pterosaur tracks (Pteraichnidae) from the Late Cretaceous Uhangri Formation, southwestern Korea, 421
Upper Cretaceous, 421
Upton, B. G. J., Skovgaard, A. C., McClurg, J., Kirstein, L., Cheadle, M., Emeleus, C. H., Wadsworth, W. J. & Fallick, A. E. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Uranium, 131

Variscan, 27, 497
Vaughan, A. P. M., Kelley, S. P. & Storey, B. C. Mid-Cretaceous ductile deformation on the Eastern Palmer Land Shear Zone, Antarctica, and implications for timing of Mesozoic terrane collision, 465
Vertebrate (R), 99, 103, 233
Vignol-Lelarge, M. L., Steemans, P., Mizusaki, A. M. P. & Melo, J. H. G. Vila Maria Formation (Silurian, Paraná Basin, Brazil): integrated radiometric and palynological age determinations, 453

Wadsworth, W. J., Fallick, A. E., Upton, B. G. J., Skovgaard, A. C., McClurg, J., Kirstein, L., Cheadle, M. & Emeleus, C. H. Picritic magmas and the Rum ultramafic complex, Scotland, 437
Wales, 89
Wang Ziqiang & Cleal, C. J. A new and diverse plant fossil assemblage from the upper Westphalian Benxi Formation, Shanxi, China, and its palaeofloristic significance, 107
Westerman, D. S., Dini, A., Innocenti, F., Rocchi, S. & Tonarini, S. The magmatic evolution of the late Miocene laccolith–pluton–dyke granitic complex of Elba Island, Italy, 257
Westphalian, 107
Willan, R. C. R. & Armstrong, D. C. Successive geothermal, volcanic-hydrothermal and contact-

metasomatic events in Cenozoic volcanic-arc basalts, South Shetland Islands, Antarctica, 209
Wilson, J. R. & Momme, P. The Kraemer Island macrodyke, East Greenland: solidification of a flood basalt conduit, 171
Wood, fossil (R), 238
Wright, J. L., Hwang, K.-G., Huh, M., Lockley, M. G. & Unwin, D. M. New pterosaur tracks (Pteraichnidae) from the Late Cretaceous Uhangri Formation, southwestern Korea, 421

Zaninetti, L., Hauser, M., Martini, R., Matter, A., Krystyn, L., Peters, T. & Stampfli, G. The break-up of East Gondwana along the northeast coast of Oman: evidence from the Batain basin, 145
Zhang, X., Foland, K. A. & Luttinen, A. V. 159 Ma Kjakebeinet lamproites (Dronning Maud Land, Antarctica) and their implications for Gondwana breakup processes, 525
Zircon, 131
Zwaan, K. B., Pokrovsky, B. G., Melezhik, V. A., Gorokhov, I. M., Fallick, A. E., Roberts, D. & Kuznetsov, A. B. Isotopic stratigraphy suggests Neoproterozoic ages and Laurentian ancestry for high-grade marbles from the North-Central Norwegian Caledonides, 375